ME LICENSE #: TF284

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBD TINCTURE (TINCTURE) // PRODUCED: APR 03, 2024

CLIENT: LEO CORMIER RECOVERYCBD // BATCH: PASS



MATRIX: TINCTURE 1
DENSITY: 0.9558 g/ml ²
SAMPLE ID: NAL-240401-018
COLLECTED ON: APR 01, 2024
RECEIVED ON: APR 01, 2024
SAMPLE SIZE: 29.5735 ML ²

SAMPLED BY: LEO CORMIER RECOVERYCBD

RECEIVED BY: TORI DANIS SERVING SIZE: 1 ML ¹ PACKAGE SIZE: 29.5735 ML ¹

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW	
CBD:	70.6 mg/srv
CBDV:	0.532 mg/srv
TOTAL CANNABINOIDS:	71.2 mg/srv

BATCH RESULT: PASS

POTENCY

TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: APR 02, 2024 // ANALYSIS: APR 03, 2024

ANALYTE	LIMIT AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	ND	ND	0.250/0.500	N/A	Δ ¹⁰ -THC	ND	ND	0.250/0.500	N/A
CBCA	ND	ND	0.250/0.500	N/A	EXO-THC	ND	ND	0.500/0.500	N/A
CBD	7.39 %	70.6 mg/ml	0.250/0.500	N/A	THCA	ND	ND	0.500/0.500	N/A
CBDA	ND	ND	0.250/0.500	N/A	THCV	ND	ND	0.250/0.500	N/A
CBDV	0.0557 %	0.532 mg/ml	0.250/0.500	N/A	THCVA	ND	ND	0.250/0.500	N/A
CBDVA	ND	ND	0.250/0.500	N/A	TOTAL THC**	ND	ND		N/A
CBG	ND	ND	0.250/0.500	N/A	TOTAL CBD**	7.39 %	70.6 mg/ml		N/A
CBGA	ND	ND	0.250/0.500	N/A	CBD/SRV	70.6 mg			N/A
CBL	ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/SRV	ND			N/A
CBLA	ND	ND	0.250/0.500	N/A	TOTAL THC/SRV**	ND			N/A
CBN	ND	ND	0.250/0.500	N/A	TOTAL CBD/SRV**	70.6 mg			N/A
CBNA	ND	ND	0.250/0.500	N/A	CBD/PKG	2090 mg			N/A
Δ8-THC	ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/PKG	ND			N/A
Δ ⁸ -THCA	ND	ND	0.500/0.500	N/A	TOTAL THC/PKG**	ND			N/A
Δ ⁹ -ΤΗC	ND	ND	0.250/0.500	N/A	TOTAL CBD/PKG**	2090 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

 $1000 \mu g/g = 1 mg/g$



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA ANALYTIC LABS APR 03, 2024



ZACHARY SMITH APR 03, 2024 POTENCY & CANNABINOID PROFILE BY HPLC-UV

THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGISTER OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTEL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT



