

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

SLEEP GUMMY (EDIBLE SOLID) // PRODUCED: APR 15, 2024

CLIENT: LEO CORMIER RECOVERYCBD // BATCH: PASS



MATRIX: EDIBLE SOLID ¹
SAMPLE ID: NAL-240411-005
COLLECTED ON: APR 11, 2024
RECEIVED ON: APR 11, 2024
SAMPLE SIZE: 1 UNITS ¹
SAMPLED BY: LEO CORMIER RECOVERYCBD
RECEIVED BY: TORI DANIS
SERVING SIZE: 3.1575 G ¹

¹ ENTERED BY LAB

CANNABINOID OVERVIEW

CBD: 30.2 mg/srv
CBN: 9.69 mg/srv
TOTAL CANNABINOIDS: 40.2 mg/srv

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: APR 12, 2024 // ANALYSIS: APR 15, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00198/0.00396	N/A
CBCA		ND	ND	0.00198/0.00396	N/A
CBD		0.958 %	9.58 mg/g	0.00198/0.00396	N/A
CBDA		ND	ND	0.00198/0.00396	N/A
CBDV		0.00746 %	0.0746 mg/g	0.00198/0.00396	N/A
CBDVA		ND	ND	0.00198/0.00396	N/A
CBG		ND	ND	0.00198/0.00396	N/A
CBGA		ND	ND	0.00198/0.00396	N/A
CBL		ND	ND	0.00396/0.00396	N/A
CBLA		ND	ND	0.00198/0.00396	N/A
CBN		0.307 %	3.07 mg/g	0.00198/0.00396	N/A
CBNA		ND	ND	0.00198/0.00396	N/A
Δ ⁸ -THC		ND	ND	0.00396/0.00396	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THCA		ND	ND	0.00396/0.00396	N/A
Δ ⁹ -THC		ND	ND	0.00198/0.00396	N/A
Δ ¹⁰ -THC		ND	ND	0.00198/0.00396	N/A
EXO-THC		ND	ND	0.00396/0.00396	N/A
THCA		ND	ND	0.00396/0.00396	N/A
THCV		ND	ND	0.00198/0.00396	N/A
THCVa		ND	ND	0.00198/0.00396	N/A
TOTAL THC**		ND	ND		N/A
TOTAL CBD**		0.958 %	9.58 mg/g		N/A
CBD/SRV		30.2 mg			N/A
Δ ⁹ -THC/SRV		ND			N/A
TOTAL THC/SRV**		ND			N/A
TOTAL CBD/SRV**		30.2 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 APR 15, 2024

NOTES

ZACHARY SMITH
APR 15, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

