

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**MENTHOL RECOVERY GEL BATCH #112524 (TOPICAL) // PRODUCED: JAN 16, 2025**

**CLIENT: LEO CORMIER RECOVERYCBD // BATCH: PASS**



**MATRIX:** TOPICAL <sup>1</sup>  
**SAMPLE ID:** NAL-250113-020  
**COLLECTED ON:** JAN 13, 2025  
**RECEIVED ON:** JAN 13, 2025  
**SAMPLE SIZE:** 46 G <sup>1</sup>  
**SAMPLED BY:** LEO CORMIER RECOVERYCBD  
**RECEIVED BY:** CHRISTOPHER COLE

<sup>1</sup> ENTERED BY CLIENT

## CANNABINOID OVERVIEW

<b>CBD:</b>	<b>3.07 %</b>
<b>CBG:</b>	<b>1.08 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>4.22 %</b>

**BATCH RESULT:** PASS

**POTENCY** TESTED

## CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JAN 14, 2025 // ANALYSIS: JAN 14, 2025

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00591/0.0118	N/A	CBNA		ND	ND	0.00591/0.0118	N/A
CBCA		ND	ND	0.00591/0.0118	N/A	Δ <sup>8</sup> -THC		ND	ND	0.0118/0.0118	N/A
CBD	3.07 %	30.7 mg/g	30.7 mg/g	0.00591/0.0118	N/A	Δ <sup>8</sup> -THCA		ND	ND	0.0118/0.0118	N/A
CBDA		ND	ND	0.00591/0.0118	N/A	Δ <sup>9</sup> -THC		ND	ND	0.00591/0.0118	N/A
CBDV	0.0666 %	0.666 mg/g	0.666 mg/g	0.00591/0.0118	N/A	Δ <sup>10</sup> -THC		ND	ND	0.00591/0.0118	N/A
CBDVA		ND	ND	0.00591/0.0118	N/A	EXO-THC		ND	ND	0.0118/0.0118	N/A
CBG	1.08 %	10.8 mg/g	10.8 mg/g	0.00591/0.0118	N/A	THCA		ND	ND	0.0118/0.0118	N/A
CBGA		ND	ND	0.00591/0.0118	N/A	THCV		ND	ND	0.00591/0.0118	N/A
CBL		ND	ND	0.0118/0.0118	N/A	THCVA		ND	ND	0.00591/0.0118	N/A
CBLA		ND	ND	0.00591/0.0118	N/A	<b>TOTAL THC**</b>		ND	ND		N/A
CBN		ND	ND	0.00591/0.0118	N/A	<b>TOTAL CBD**</b>		3.07 %	30.7 mg/g		N/A

\*\* TOTAL THC = (THCA X 0.877) + DELTA-9-THC

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

1000 µg/g = 1 mg/g



**AUTHORIZED BY:**  
 ZACHARY SMITH  
 LABORATORY MANAGER, NOVA  
 ANALYTIC LABS  
 JAN 16, 2025

## NOTES

ZACHARY SMITH  
 JAN 16, 2025

**POTENCY & CANNABINOID PROFILE BY HPLC-UV**  
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

**END OF REPORT**

