

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBD/CBN 101624 (TINCTURE) // PRODUCED: OCT 30, 2024

CLIENT: LEO CORMIER RECOVERYCBD // BATCH: PASS



BATCH NO.: 101624 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.9602 g/ml ²
SAMPLE ID: NAL-241028-051
COLLECTED ON: OCT 28, 2024
RECEIVED ON: OCT 28, 2024
SAMPLE SIZE: 30 ML ¹
SAMPLED BY: LEO CORMIER RECOVERYCBD
RECEIVED BY: CHRISTOPHER COLE
SERVING SIZE: 1 ML ¹
PACKAGE SIZE: 30 ML ¹

CANNABINOID OVERVIEW

CBD: 26.8 mg/srv
CBN: 8.28 mg/srv
TOTAL CANNABINOIDS: 35.1 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: OCT 29, 2024 // ANALYSIS: OCT 29, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.250/0.500	N/A	Δ ¹⁰ -THC		ND	ND	0.250/0.500	N/A
CBCA		ND	ND	0.250/0.500	N/A	EXO-THC		ND	ND	0.500/0.500	N/A
CBD	2.79 %	26.8 mg/ml	26.8 mg/ml	0.250/0.500	N/A	THCA		ND	ND	0.500/0.500	N/A
CBDA		ND	ND	0.250/0.500	N/A	THCV		ND	ND	0.250/0.500	N/A
CBDV		ND	ND	0.250/0.500	N/A	THCVA		ND	ND	0.250/0.500	N/A
CBDVA		ND	ND	0.250/0.500	N/A	TOTAL THC**		ND	ND		N/A
CBG		ND	ND	0.250/0.500	N/A	TOTAL CBD**	2.79 %	26.8 mg/ml	26.8 mg/ml		N/A
CBGA		ND	ND	0.250/0.500	N/A	CBD/SRV	26.8 mg				N/A
CBL		ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/SRV		ND	ND		N/A
CBLA		ND	ND	0.250/0.500	N/A	TOTAL THC/SRV**		ND	ND		N/A
CBN	0.862 %	8.28 mg/ml	8.28 mg/ml	0.250/0.500	N/A	TOTAL CBD/SRV**	26.8 mg				N/A
CBNA		ND	ND	0.250/0.500	N/A	CBD/PKG	804 mg				N/A
Δ ⁸ -THC		ND	ND	0.500/0.500	N/A	Δ ⁹ -THC/PKG		ND	ND		N/A
Δ ⁹ -THCA		ND	ND	0.500/0.500	N/A	TOTAL THC/PKG**		ND	ND		N/A
Δ ⁹ -THC		ND	ND	0.250/0.500	N/A	TOTAL CBD/PKG**	804 mg				N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 OCT 30, 2024

NOTES

ZACHARY SMITH
OCT 30, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

